## DISAPPROVAL OF THE SILO 1 AND 2 REMOVAL ACTION BENTONITE EFFECTIVENESS ENVIRONMENTAL MONITORING PLAN

2-19-92

USEPA/DOE 1 LETTER



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

## REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

2903

FEB 1 9 1992

REPLY TO THE ATTENTION OF:

Mr. Jack R. Craig United States Department of Energy Feed Materials Production Center P.O. Box 398705 Cincinnati. Ohio 45239-8705 HRE-8J

RE: Disapproval of the Silo 1 and 2 Removal Action Bentonite Effectiveness Environmental Monitoring Plan

Dear Mr. Craig:

The United States Environmental Protection Agency (U.S. EPA) has completed its review of the Silo 1 and 2 Removal Action Bentonite Effectiveness Environmental Monitoring Plan.

U.S. EPA hereby disapproves the plan pending incorporation of the attached comments.

Please contact Mr. James Benetti at (312/FTS) 886-6175, or Mr. James Saric at (312/FTS) 886-0992 if you have any questions.

Sincerely,

Mames Benetti, Chief Radiation Section

James A. Saric Remedial Project Manager

Enclosure

cc: Graham Mitchell, OEPA-SWDO
Pat Whitfield, U.S. DOE-HDQ

partial

Date Hedic

F-1954

response

File 6448.5

doe-14591\_library\_ (3876)

Printed on Recycled Paper

## U.S. EPA COMMENTS ON THE SILOS 1 AND 2 REMOVAL ACTION. BENTONITE EFFECTIVENESS ENVIRONMENTAL MONITORING PLAN

- 1) The protocol to be used to convert from headspace radon concentration to flux off the dome is overly simplistic, with no reference to origin of the governing equation nor the origin of the standard parameters.
  - It appears the governing equation assumes an intact concrete dome. This is simplistic since the dome is known to be profuse with cracks, including a lack of full integrity along the manway seals.
- The text is contradictory throughout on the issue of confirmation of compliance with the 0.015 pCi/L criteria. In some places it is stated that confirmation will occur by direct measurement (e.g., page 2, paragraph 3, sentence 1; and page 4, paragraph 1), and in other places it is stated that confirmation is not possible, except by modeling (e.g., page 2, paragraph 3, sentence 3).

In addition, it was stated in previous comments that U.S. EPA wishes to review the real-time radon-222 monitoring data, including measurements of radon-222 in the headspace. Projections are not being sought here, but the raw data used for projections, since U.S. EPA may wish to independently verify projections. U.S. EPA has no problem with compilation of weekly, monthly or quarterly projection averages, so long as raw hourly data is provided.